





HØRNING cares about the environment and sustainable forestry. HØRNING is naturally FSC-certified.

#### **Product Range** Contents



- 04 References page
- 08 Custom made solutions
- 10 Herringbone parquet
- 12 Solid parquet blocks
- 14 Solid planks
- 16 Origin plank flooring
- 18 Inline parquet
- 20 Industrial parquet
- 22 End grain flooring
- 23 End grain mosaic
- 24 Parquet mosaic panels
- 25 Strips
- 26 Castle planks
- 28 Engineered flooring
- 30 Outdoor wood flooring

#### Hørning Parket A/S Hardwood floors through generations

The story of HØRNING began in 1929, when J.M. Jensen started manufacturing solid wood flooring in his workshop – thereby laying the foundation for the fine craftsmanship traditions, which continue to play a defining role in our values and in our company profile even today.

In 1940 Arne Jacobsen designed the parquet pattern for the HØRNING wood floor that was to be installed in the Aarhus City Hall – even today the floor is still there. Since then HØRNING floors have been installed in the airports of Copenhagen, Stockholm, Bergen, Venice and Amman, in the National Library in Madrid, in the Opera House in Copenhagen, in the Prime Minister's Department as well as thousands and thousands of private homes, thus cementing HØRNING's position as a supplier of high quality, exclusive flooring in Denmark as well as globally.

Late 2012 HØRNING was strengthened through the acquisition of the activities from the company Woodfloor. The unique qualities of the two companies have now been merged into one brand: HØRNING. This has led to a deeper as well as a wider range of products. Woodfloor has supplied floors for prestigious buildings like the Royal Theatre of Denmark, Aros Art Museum, the head office of KPMG and the Stockholm Globe (Arena). HØRNING can deliver solid parquet and plank floors, all kinds of solid wood flooring, engineered floors, Inline, outdoor wood floors etc. We also deliver unique solutions for prestigious building projects as well as quality floors for private homes. Besides the flooring we deliver skirtings, stairs, glue, oil, maintenance products etc. etc.

This brochure will give an introduction to our different types of flooring, which can all be used in constructions with subfloor heating as long as the requirements are met. More detailed information in regards to types of woods, dimensions, possibilities, installation etc. can be found on www.horningfloor.dk.



#### Hørning Parket A/S References



We are proud of our long list of references, which we regard as a valuable heritage. Through generations we have worked with the most excellent architects, contractors and installers in Denmark as well as globally. A few selected references are shown here:



#### **References** Custom made solutions



Old Estrup Manor was initially the property of Count Jørgen Scheel – one of the richest men in Denmark at his time. Today the manor has been turned into a museum and as part of an extensive refurbishment the architects wanted to recreate the original floor from the 18th century in the dining room. However nobody knew the design of the original floor. It is assumed that Count Jørgen Scheel was inspired by the royal buildings of his time due to his close relation to the king of Denmark. The inspiration for the new HØRNING floor at Old Estrup Manor was found in drawings from the royal Hirschholm Castle, which no longer exists. The result speaks for itself – the floor is a fusion of past and presence and without a doubt it will survive for generations.







HØRNING is the supplier of floors for many private homes, too. The client for this floor had a dream of a very special floor – just with a design, which didn't exist. Together with HØRNING a hand sketch was drawn first – after that samples were made, then the design was adjusted and the procedure was repeated until the client was absolutely satisfied. The client got his personal floor that completes the interior decoration and the classical architecture of the property.

#### **Custom made solutions**

The unique floor





Arne Jacobsen was not a man who chose the compromises – not even when he designed the Aarhus City Hall, which was inaugurated in 1941. HØRNING was chosen as supplier of the floor, which Arne Jacobson had designed in every detail showing patterns, different shades and dimensions. The special design gives the floor a three-dimensional appearance and after 80 years in use it still looks stunningly beautiful.



In a world dominated by standardized products, we are privileged to be able to produce floors that are custom made to the individual needs and wishes of our clients.



HØRNING floors may be produced and combined in an endless number of variations. Our aim is to pass on the pleasure of unique and personal solutions and we can only do so by focusing completely on our key words: Quality, flexibility and service.



10 · H Ø R N I N G






#### The Herringbone pattern The exclusive look



HØRNING products are based on solid craft traditions. Every single block passes through many sets of skilled hands before it is incorporated into our unique and highly characteristic herringbone pattern floors with their unrivalled HØRNING finish. Herringbone parquet brings an exclusive atmosphere and personality to any room.

Such a unique floor has to be carefully installed with pattern blocks in fixed dimensions. Oak is the preferred wood species for this type of floor, but as always working with HØRNING there will be ample opportunity to choose between different woods and types. Our herringbone blocks in the well known 65.5 mm width, is today a classic product but as we have our own production facility, we also offer special sizes and great flexibility.

# **Solid parquet blocks** Endless possibilities




Tradition and good craftsmanship alone are not enough, and HØRNING has therefore established a unique quality management system. All our employees are responsible for the high quality of our products. As a result of this our products have the smallest tolerances in the market.















H & RNING · 13



# **Solid plank flooring** The genuine plank floor





HØRNING plank flooring looks magnificent and highly exclusive. We can supply many different types of both light and dark wood species, different widths, combinations with rubber lists, skirting boards in contrasting colours etc. etc.

We have a wide range of solid plank flooring - more than 10 different wood species. Our floors may be mixed in an endless number of combinations and so it is possible to offer custom made solutions to every client.


#### **Origin plank flooring** In large format



HØRNING Origin plank floors are produced from wood which has been carefully chosen and certified. It comes from centuries- old trees from German forests. Quality takes time and up to two years may elapse from the tree has been cut till the floor planks are ready for installation.


This unique, solid floor is supplied in particularly large dimensions. Thickness up to 35 mm, width up to 40 cm and length up to 16 meter. The species are Oak and Douglas.

Having installed this unique floor the room will appear larger – you will see it as longer and it will inspire visitors. The room will be transformed.





#### Inline parquet Expressive and indestructible




Inline is available in a number of different wood species, also as NATwood Oak. NATwood is a patented production process in which the wood is heated and filled with natural resin/waxes. This provides the wood with an extreme hardness, better resilience and the wood will even expand and shrink less.

The floor is surface treated with oil or lacquer from factory, after it is profiled, which gives a very beautiful result almost without visible joints. The many small strips almost give the expression of a big roaring sea.

Inline is a patented product from our partner Tilo in Austria. It is an exclusive type of edge grain parquet which, however, is much faster and less expensive to install, as it is delivered sanded, filled and surface treated. Inline consists of small strips in 10 mm thickness connected to each other in rows for a module with tongue and groove on four sides.



#### **Industrial parquet** A robust solution



Industrial parquet (edge grain parquet) is very durable and suitable for areas with heavy traffic. Sanding can be carried out many times, as the product has no tongue and groove.

Industrial parquet made from small solid strips with the edge turned up. The strips are usually 8 or 23 mm in thickness. The strips are assembled in modules held together with tape.



#### **End grain floor** Elegant squares







This floor gives a very elegant and unique impression – mainly because of the many small blocks, which are put together.

End grain floor is made of solid blocks, cut opposite the grain structure with the annual year rings exposed on every piece. The floor is extremely hard and durable and very suitable for areas with heavy traffic.

The blocks are supplied in various dimensions depending on wood species and raw material available.



### **End grain mosaic floor** The fast solution



End grain mosaic flooring is just like end grain floor small solid blocks, which are cut opposite the annual year rings. Unlike the traditional end grain floor the end grain mosaic is already placed in a Square pattern or English pattern on net on delivery.

The floors are supplied in various dimensions depending on wood species and raw material available.



#### **Mosaic parquet** Stylish patterns






Give the room a stylish look with mosaic parquet in English pattern, Square pattern or Parallel pattern.

Mosaic parquet is solid hardwood blocks, which are delivered as pattern panels on net. It is a solid, robust and durable floor.








Strips are solid staves which are slimmer and smaller than our classic solid parquet blocks.

Different to parquet blocks the strips are delivered without tongue and groove and can be delivered as single strips or as pattern panels on net in English pattern, Square pattern or Parallel pattern.







Castle planks from HØRNING are engineered floors made to order and made from exquisite materials in a particularly strong construction, which may not change the building into a castle, but which will give the room a royal look.

Castle planks are available in Oak, Ash and Douglas with different surface finishes. It has up to 6 mm wear layer and the core is solid exterior birch plywood. The thickness is 16 or 20/21 mm and a number of different widths from 180 to 300 mm and up to 3 meter long can be supplied, some even longer!







#### **Engineered floors** The economic choice




Engineered flooring can be found in varying quality. Very often you will go for the best buy and try to reduce spending. HØRNING doesn't make compromises. We ensure only high quality and even great value for less.

HØRNING engineered flooring can also be delivered with 6 mm wear layer!

Our engineered products are available as 1-strip or 3-strip flooring for floating floors as well as for installation on joists. A number of wood species, in thickness of 14/15/22 mm with a wear layer of 4 or 6 mm can be delivered. It is even possible to get different widths, lengths as well as different types of finishes in oil or lacquer.

# **Outdoor planks** High quality decking









Even when it comes to outdoor floor design HØRNING is in front with high quality products. The typical wood species are Balau, Cumarú, Ipé, Kurupay, Teak or Thermo treated ash, which are all hard-wearing and long lasting – with a life time up to 50 years or more.

HØRNING offers different types of outdoor decking – e.g. Exterpark with the unique invisible fastening system. This patented solution ensures that there are no visible screws or fittings and it even ensures optimum water drainage. The planks overlap to eliminate gaps and glance between the planks is impossible.

HØRNING outdoor decking is available in different sizes – typically 20 x 100/120/140 mm in different lengths.





Hørning Parket A/S | T: +45 7027 6600 | W: horningfloor.dk | E: salg@horningfloor.dk